

# Series i-Keybox

LANDWELL  
Smart Security



**Series i-Keybox! Our smart solution automates key management for managers, providing real-time digital reports for ultimate convenience.**

## Product features


- Highly integrated control terminal
- User-friendly web-based key management software solution
- Networked or Standalone
- Notification emails
- Audible and visual alarms
- Multi-authentication supported
- Mechanical lock and internal memory backup during power outages
- Reliable anti-tamper cable seals for enhanced security
- 5 years warranty included
- No License Fees for software

# Series i-Keybox

## Specifications


| Modelsu           | Capacity   | Dimensions                      | Net weight |
|-------------------|--|---------------------------------|------------|
| i-Keybox S        | 20 key positions   | 670 (W) x 520 (H) x 190 (D) mm  | 35 kg      |
| i-Keybox M        | 50 key positions   | 841 (W) x 640 (H) x 202 (D) mm  | 45 kg      |
| i-Keybox L        | 70 key positions   | 841 (W) x 780 (H) x 202 (D) mm  | 55 kg      |
| i-Keybox XL       | 100/200 key positions  | 898 (W) x 1820 (H) x 400 (D) mm | 125 kg     |
| Construction      |  |                                 |            |
| Material          | 1.5 mm steel, powder coated  |                                 |            |
| Color             | black & white  |                                 |            |
| Door              | Steel door with window / Solid steel (options)   |                                 |            |
| Door Lock         | Electric Motor Freezer Lock  |                                 |            |
| Key Tag           | Plastic flat tag with security seal  |                                 |            |
| LEDs              | 3 possible states per key position<br>- Green: access granted<br>- Red: alarm<br>- White: normal working condition |                                 |            |
| Mounting          | Wall mount / Floor   |                                 |            |
| Power             |  |                                 |            |
| Power supply      | Input: 110V - 240V AC<br>Output: 12V DC  |                                 |            |
| Power consumption | 12V 2amp max   |                                 |            |
| Certifications    | CE, FCC, RoHS, ISO9001   |                                 |            |
| Controller        |  |                                 |            |
| Operating system  | based on Android   |                                 |            |
| Display           | 7" touch screen  |                                 |            |
| Data storage      | RAM 1GB + ROM 8GB  |                                 |            |
| Server            | Cloud platform / Local server  |                                 |            |
| RFID type         | 125Khz / 13.56Mhz (optional)   |                                 |            |
| Cabinet access    | PIN code, Card ID, Finger Vein, Face recognition<br>(Optional combination of any two methods for authentication)   |                                 |            |
| Communications    |  |                                 |            |
| Network           | Ethernet TCP/IP / Wifi   |                                 |            |
| USB               | Support  |                                 |            |

# Series i-Keybox i-Keybox M



841mm


Front View



640mm

202mm

Side View




Rear View




Top View


# Series i-Keybox i-Keybox L




841mm  
Front View



780mm  
202mm  
Side View




Rear View




Top View

# Series i-Keybox i-Keybox XL



898mm


Front View



1820mm

400mm

Side View



Rear View



Top View